



COPY OF PAPERS
ORIGINALLY FILED

DOCKET NO. 2678

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Stephen Bresina

Serial No.: 10/004,969

Examiner: Unknown

Filed: December 3, 2001

Art Unit: 3739

For: APPARATUS FOR FUSING ADJACENT BONE STRUCTURES

Assistant Commissioner of Patents
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS -Filing


Date Granted

Sir:

In response to the Notice to File Corrected Application
Papers - Filing Date Granted dated January 11, 2002, Applicant(s)
enclose herewith substitute drawings, with appropriate margins
and consecutive Arabic numerals in compliance with 37 C.F.R.
1.84.

In the event that any extensions of time are required,
please treat this paper as a petition to extend the time as
required and charge Deposit Account 21-0550. TWO (2) DUPLICATE
COPIES OF THIS SHEET ARE ENCLOSED.

Dated: 18 Jan 2002


Lawrence Cruz
Reg. No. 36,385
Attorney for Applicants

United States Surgical, a division of
TYCO HEALTHCARE GROUP LP
150 Glover Avenue
Norwalk, CT 06856

1000499-09499
1000499-09499

COPY OF PAPERS
ORIGINALLY FILEDFEB 12 2002
PATENT & TRADEMARK OFFICE

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/004,969	12/03/2001	Stephen Bresina	2678

CONFIRMATION NO. 7840

FORMALITIES LETTER



OC000000007297880

Lawrence Cruz
United States Surgical, a division of
TYCO HEALTHCARE GROUP LP
150 Glover Avenue
Norwalk, CT 06856

Date Mailed: 01/11/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
 - more than one figure is present and each figure is not labeled "Fig." with a consecutive Arabic numeral (1, 2, etc.) or an Arabic numeral and capital letter in the English alphabet (A, B, etc.)(see 37 CFR 1.84(u)(1));

*A copy of this notice **MUST** be returned with the reply.*

127.3
Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

2002-01-11 09:40:00